Index of Authors and Papers

Abd. El-Aziz, Y.M., see A.E. Hamed 216 (1996) 116
Abliz, M., see R. Settai 216 (1996) 326
Agosta, C.C., see F. Herlach 216 (1996) 161
Ahmet, P., see R. Settai 216 (1996) 326
Ajiki, H. and T. Ando, Aharonov–Bohm effect on magnetic properties of carbon nanotubes 216 (1996) 358
Ajiro, Y., see M. Chiba 216 (1996) 344
Ajiro, Y., see T. Goto 216 (1996) 294
Akimoto, R., see H. Hori 216 (1996) 347
Amaya, K., see T.C. Kobayashi 216 (1996) 304
Amm, K.M., see J. Schwartz 216 (1996) 261
Anderson, J.R., M. Górska, Y. Oka, J.-Y. Jen, I. Mogi and Z. Golacki, Magnetization studies of $Sn_{1-x}Eu_xTe$ 216 (1996) 307
Anderson, J.R., see A.C. Goldberg 216 (1996) 372
Ando, T., see H. Ajiki 216 (1996) 358
Anzai, H., see J.S. Brooks 216 (1996) 380
Aoki, D., see R. Settai 216 (1996) 326
Aoki, H., see N. Kimura 216 (1996) 313
Aoki, H., see H. Maeda 216 (1996) 141
Aoki, H., see Y. Ōnuki 216 (1996) 323
Aoki, H., see R. Settai 216 (1996) 310
Aoki, N., see S. Murase 216 (1996) 233
Aoki, Y., see K. Sugiyama 216 (1996) 316
Aomine, T., see T. Fukami 216 (1996) 277
Aoyagi, Y., see Y. Ochiai 216 (1996) 376
Ardavan, A., see J. Singleton 216 (1996) 333
Aruga-Katori, H., see A. Fujita 216 (1996) 297
Aruga-Katori, H., see T. Goto 216 (1996) 294
Aruga-Katori, H., see Y. Hattori 216 (1996) 301
Asakawa, H. and M. Suzuki, Super-effective-field theory of three-dimensional electron systems 216 (1996) 63
Asano, T., see T. Goto 216 (1996) 294
Asano, T., see H. Maeda 216 (1996) 141
Asano, T., see M. Oshikiri 216 (1996) 351
Askenazy, S., Coilin and Coilex: A route for 100 T non-destructive magnets 216 (1996) 221
Athas, G.J., see J.S. Brooks 216 (1996) 380
Azuma, H., see R. Settai 216 (1996) 326
Azuma, H., see K. Sugiyama 216 (1996) 316

Babic, E., see S.X. Dou 216 (1996) 255
Barczewski, M., see M. von Ortenberg 216 (1996) 158
Barczewski, M., see M. von Ortenberg 216 (1996) 384
Barrau, J-R., see M. Van Cleemput 216 (1996) 226
Beck, W.A., see A.C. Goldberg 216 (1996) 372
Bhattacharya, D.P., see S.N. Patra 216 (1996) 121
Bird, J.P., see Y. Ochiai 216 (1996) 376
Bird, M.D., S. Bole, Y.M. Eyssa, B.J. Gao and H.-J. Schneider-Muntau, Resistive magnets at the national high magnetic field laboratory: design and operation, 2K7–33 T 216 (1996) 193
Blundell, S.J., see J. Singleton 216 (1996) 333
Boenig, H.J., see L.J. Campbell 216 (1996) 218
Bogaerts, R., see F. Herlach 216 (1996) 161
Bole, S., see M.D. Bird 216 (1996) 193
Bonney, L.A., see W.D. Markiewicz 216 (1996) 200
Boon, W., see F. Herlach 216 (1996) 161
Borsenberger, P.M., see S. Heun 216 (1996) 43
Brandes, T., L. Schweitzer and B. Kramer, Temperature-dependent broadening of ρ_{xx}-peaks and inelastic scattering in the integer quantum Hall effect 216 (1996) 369
Brooks, J.S., R.G. Clark, R.P. Starrett, R. Newbury, R.H. McKenzie, A.V. Skougarevsky, M. Tokumoto, N. Kinoshita, Y. Tanaka, H. Anzai, S. Takasaki, J. Yamada, M.V. Kartsovnik, A.I. Schegolev, G.J. Athas and P. Sandhu, Applications of pulsed magnetic fields and low temperatures to low-dimensional (organic) conductor physics 216 (1996) 380
Brown, F.J., N.W. Kerley, R.B. Knox and K.W. Timms, Review of high field superconducting magnet development at Oxford Instruments 216 (1996) 203
Bucher, E., see J. Singleton 216 (1996) 333
Burgoyne, J., see R.G. Jenkins 216 (1996) 240
Bursill, L.A., H. Qian, J. Peng and X.D. Fan, Observation and analysis of nanodomain textures in the dielectric relaxor lead magnesium niobate 216 (1996) 1
Bykov, A.I., see O.M. Tatsenko 216 (1996) 175
Bykov, A.I., M.I. Dolotenko, N.P. Kolokol'chikov, A.I. Pavlovskii and O.M. Tatsenko, The cascade magnetocumulative generator of ultrahigh magnetic fields – A reliable tool for megagauss physics 216 (1996) 215

Campbell, A.M., Factors limiting current densities in oxide superconductors 216 (1996) 266
Campbell, L.J., H.J. Boenig, D.G. Rickel, J.B. Schillig, H.J. Schneider-Muntau and J.R. Sims, The NHMFL long-pulse magnet system – 60–100 T 216 (1996) 218
Canfield, P.C., see Y. Uwatoko 216 (1996) 329
Chabanenko, V.V., I.B. Krynetskii, S. Piechota and H. Szymczak, Giant magnetostriction and flux instabilities in textured YBaCuO plates 216 (1996) 289

Chabanenko, V.V., S. Piechota and H. Szymczak, Flux instabilities in textured YBaCuO in strong magnetic fields and stabilization critical state 216 (1996) 285
Chen, J.L., see B.J. Gao 216 (1996) 166
Chen, Z.Y., see B.J. Gao 216 (1996) 166
Chiba, M., Y. Ajiro, E. Satoh and T. Kubo, Nuclear magnetic resonance in high magnetic fields: Study of singlet-ground-state due to 1-D quantum spin effect 216 (1996) 344
Cho, B.K., see Y. Uwatoko 216 (1996) 329
Chu, J.O., see R.G. Clark 216 (1996) 388
Clark, R.G., see J.S. Brooks 216 (1996) 380
Clark, R.G., R.B. Dunford, F.F. Fang, V.A. Stadnik, E.E. Mitchell, R. Newbury, R.H. McKenzie, R.P. Starrett, A.V. Skougarevsky, J.O. Chu, K.E. Ismail and B.S. Meyerson, Low-temperature transport and photoconductivity response of high mobility Si–SiGe heterostructures in strong magnetic fields 216 (1996) 388
Crow, J.E., D.M. Parkin, H.J. Schneider-Muntau and N.S. Sullivan, The United States National High Magnetic Field Laboratory: Facilities, science and technology 216 (1996) 146

De Bruyn Ouboter, R. and A.N. Omelyanchouk, On the influence of thermal fluctuations on the current–phase relation in superconducting point contacts 216 (1996) 37
De Keyser, A., see F. Herlach 216 (1996) 161
Deckers, I., see F. Herlach 216 (1996) 161
Dew-Hughes, D., see C.R.J. Hole 216 (1996) 291
Ding, L.R., see B.J. Gao 216 (1996) 166
Dixon, I.R., see W.D. Markiewicz 216 (1996) 200
Dolecki, K., see W. Szmaja 216 (1996) 71
Dolotenko, M.I., see A.I. Bykov 216 (1996) 215
Dolotenko, M.I., see O.M. Tatsenko 216 (1996) 175
Domínguez-Adame, F., see E. Maciá 216 (1996) 53
Dou, S.X., H.K. Liu, M. Ionescu, W.G. Wang, E. Babic and I. Kusevic, Critical current density and pinning energy in Ag-clad BPSCCO tapes 216 (1996) 255
Dozono, Y., see K. Inoue 216 (1996) 181
Druzhinin, V.V., see O.M. Tatsenko 216 (1996) 175
Dunford, R.B., see R.G. Clark 216 (1996) 388

Eyssa, Y., see M. Van Cleemput 216 (1996) 226
Eyssa, Y.M., see M.D. Bird 216 (1996) 193
Eyssa, Y.M., see W.D. Markiewicz 216 (1996) 200

Fan, X.D., see L.A. Bursill 216 (1996) 1
Fang, F.F., see R.G. Clark 216 (1996) 388
Ferry, D.K., see Y. Ochiai 216 (1996) 376
Franke, R. and J. Hormes, The P K-near edge absorption spectra of phosphates 216 (1996) 85
Fujikami, J., see K.-i. Sato 216 (1996) 258
Fujino, M., see I. Yamamoto 216 (1996) 399
Fujioka, T., see S. Murase 216 (1996) 233
Fujita, A., T. Suzuki, S. Terashima, K. Fukamichi, H. Aruga-Katori and T. Goto, Magnetization of amorphous Fe-based concentrated spin glasses 216 (1996) 297
Fukamachi, T., see Z. Zhao 216 (1996) 96
Fukami, T., Y. Yamasaki, T. Nishizaki, F. Ichikawa, R. Kondo, T. Aomine, S. Kubo and M. Suzuki, Temperature dependence of electrical resistivity in the mixed state in $Nd_{2-x}Ce_xCuO_{4-y}$ 216 (1996) 277
Fukamichi, K., see A. Fujita 216 (1996) 297
Fukamichi, K., see Y. Hattori 216 (1996) 301
Fukase, T., see T. Sasaki 216 (1996) 366
Fukase, T., M. Kamata, T. Hanaguri, T. Sasaki, T. Suzuki, T. Goto, I. Tanaka and H. Kojima, Ultrasonic studies of anisotropic flux pinning in $La_{1.85}Sr_{0.15}CuO_4$ under high magnetic fields 216 (1996) 274
Fukushima, K., see M. Okada 216 (1996) 248
Furusawa, M., see H. Hori 216 (1996) 347

Gao, B.J., see M.D. Bird 216 (1996) 193
Gao, B.J., J.L. Chen, S.L. Yuan, W.F. Yuan, F.T. Wang, L.R. Ding, X.N. Liu, Z.M. Liu, Z. Huang, Z.Y. Chen and S. Wang, Development and research in high magnetic fields at ASIPP 216 (1996) 166
Gingl, Z., see I. Nagy 216 (1996) 79
Górska, M., see J.R. Anderson 216 (1996) 307
Golacki, Z., see J.R. Anderson 216 (1996) 307
Goldberg, A.C., J.R. Anderson, J.W. Little and W.A. Beck, Effect of simultaneous electric and magnetic fields on GaAs/AlGaAs superlattice miniband probed by intersubband electron transitions 216 (1996) 372
Goringe, M.J., see C.R.J. Hole 216 (1996) 291
Goringe, M.J., see R.G. Jenkins 216 (1996) 240
Goto, H. and Y. Natsume, A theoretical approach to strong-coupling superconductivity in ultra-high fields in consideration of vertex correlations to Eliashberg–Migdal equations 216 (1996) 281
Goto, T., see A. Fujita 216 (1996) 297
Goto, T., see T. Fukase 216 (1996) 274
Goto, T., see Y. Hattori 216 (1996) 301
Goto, T., see R. Settai 216 (1996) 310
Goto, T., see I. Yamamoto 216 (1996) 399
Goto, T., Y. Ajiro, T. Asano, T. Inami and H. Aruga-Katori, High-field magnetization of one-dimensional $S = \frac{1}{2}$ trimer system $3CuCl_2 \cdot 2$ dioxane 216 (1996) 294
Goy, P., see J. Singleton 216 (1996) 333
Grovenor, C.R.M., see C.R.J. Hole 216 (1996) 291
Grovenor, C.R.M., see R.G. Jenkins 216 (1996) 240

Haga, Y., see R. Settai 216 (1996) 310
Hakamata, M., see S. Murase 216 (1996) 233

Hamed, A.E., Y.M. Abd. El-Aziz, N.K. Madi and M.E. Kassem, Phase transition in the $(Li_{0.5-(x/2)}K_{0.5-(x/2)}Cs_x)_2SO_4$ system 216 (1996) 116
Han, J., see Z. Zhao 216 (1996) 96
Hanaguri, T., see T. Fukase 216 (1996) 274
Hanai, S., see K. Inoue 216 (1996) 181
Hanai, S., see S. Murase 216 (1996) 233
Harima, H., see N. Kimura 216 (1996) 313
Harrison, N., see F. Herlach 216 (1996) 161
Hase, M., see K. Takehana 216 (1996) 354
Hase, T., see K. Shibutani 216 (1996) 244
Hattori, Y., K. Fukamichi, H. Aruga-Katori and T. Goto, Random magnetic anisotropy in amorphous Er–X (X = Ni and Cu) alloys 216 (1996) 301
Hayashi, K., see K.-i. Sato 216 (1996) 258
Hayashi, S., see K. Shibutani 216 (1996) 244
Hayes, W., see J. Singleton 216 (1996) 333
Hellstrom, E.E. and W. Zhang, Important parameters for processing long lengths of Ag-sheathed $Bi_2Sr_2CaCu_2O_x$ conductors 216 (1996) 252
Herlach, F., C.C. Agosta, R. Bogaerts, W. Boon, I. Deckers, A. De Keyser, N. Harrison, A. Lagutin, L. Li, L. Trappeniers, J. Vanacken, L. Van Bockstal and A. Van Esch, Experimental techniques for pulsed magnetic fields 216 (1996) 161
Heun, S. and P.M. Borsenberger, Hole transport in triarylamine doped polymers 216 (1996) 43
Higashiyama, K., see M. Okada 216 (1996) 248
Hill, S.O., see J. Singleton 216 (1996) 333
Hirata, K., see K. Kadowaki 216 (1996) 269
Hohl, H., see J. Singleton 216 (1996) 333
Hole, C.R.J., D. Ryan, D. Dew-Hughes, H. Jones, M.J. Goringe and C.R.M. Grovenor, A possible mechanism for the behaviour of high temperature superconductors carrying transport currents in pulsed magnetic fields 216 (1996) 291
Homma, Y., see G. Oomi 216 (1996) 319
Hong, T.-M., see S.-J. Sun 216 (1996) 111
Hori, H., M. Furusawa, R. Akimoto, M. Kobayashi, I. Kakeya and K. Kindo, ESR and magneto-optical measurements in EuTe films and thin films of EuTe/Fe 216 (1996) 347
Horigami, O., see M. Urata 216 (1996) 209
Hormes, J., see R. Franke 216 (1996) 85
Huang, Z., see B.J. Gao 216 (1996) 166

Ichihara, M., see S. Murase 216 (1996) 233
Ichikawa, F., see T. Fukami 216 (1996) 277
Imanaka, Y., see M. von Ortenberg 216 (1996) 384
Inami, T., see T. Goto 216 (1996) 294
Inoue, K., see T. Kiyoshi 216 (1996) 196
Inoue, K., see T. Kuroda 216 (1996) 230
Inoue, K., see H. Maeda 216 (1996) 141
Inoue, K., see S. Murase 216 (1996) 233
Inoue, K., T. Kiyoshi, M. Kosuge, K. Itoh, T. Takeuchi, H. Maeda, S. Hanai, M. Tezuka, T. Kojo, S. Murase, Y. Dozono and K. Matsutani, 40 T class hybrid magnet system 216 (1996) 181
Ionescu, M., see S.X. Dou 216 (1996) 255
Ishibashi, K., see Y. Ochiai 216 (1996) 376
Ishikawa, F., see I. Yamamoto 216 (1996) 399
Ishiyama, A., see S. Noguchi 216 (1996) 212
Ismail, K.E., see R.G. Clark 216 (1996) 388
Itoh, K., see K. Inoue 216 (1996) 181
Itoh, K., see H. Maeda 216 (1996) 141
Itoh, K., see S. Murase 216 (1996) 233
Iwasa, Y., Hybrid magnets: a magnet engineer's experience and a proposal for the next generation of hybrids 216 (1996) 186

Jen, J.-Y., see J.R. Anderson 216 (1996) 307
Jenkins, R.G., H. Jones, J. Burgoyne, M. Yang, C.R.M. Grovenor and M.J. Goringe, Magnet coils made from high-temperature superconductor 216 (1996) 240
Jha, P.K. and S.P. Sanyal, Lattice vibrational properties of uranium chalcogenides 216 (1996) 125
Jones, H., see C.R.J. Hole 216 (1996) 291
Jones, H., see R.G. Jenkins 216 (1996) 240
Jones, H., see M. Van Cleemput 216 (1996) 226

Kadowaki, K., T. Mochiku, K. Hirata, H. Takeya, T. Nishizaki and N. Kobayashi, High-field resistivity along the *c*-axis of single crystalline $Bi_2Sr_2CaCu_2O_{8+\delta}$ 216 (1996) 269
Kagayama, T., see G. Oomi 216 (1996) 319
Kakeya, I., see H. Hori 216 (1996) 347
Kakimoto, K. and K.-W. Yi, Use of magnetic fields in crystal growth from semiconductor melts 216 (1996) 406
Kamata, M., see T. Fukase 216 (1996) 274
Kartsovnik, M.V., see J.S. Brooks 216 (1996) 380
Kassem, M.E., see A.E. Hamed 216 (1996) 116
Katagiri, K., see T. Kuroda 216 (1996) 230
Kato, T., see K.-i. Sato 216 (1996) 258
Kawaji, S., Quantum Hall effect: its breakdown due to current 216 (1996) 393
Kawamura, I., see F. Matsumoto 216 (1996) 412
Kerley, N.W., see F.J. Brown 216 (1996) 203
Kido, G., see N. Kojima 216 (1996) 336
Kido, G., see H. Maeda 216 (1996) 141
Kido, G., see M. Oshikiri 216 (1996) 351
Kido, G., see K. Takehana 216 (1996) 354
Kimura, N., R. Settai, Y. Ōnuki, K. Maezawa, H. Aoki and H. Harima, De Haas–van Alphen effect in UPt_3 216 (1996) 313

Kindo, K., see H. Hori 216 (1996) 347
Kindo, K., see K. Sugiyama 216 (1996) 316
Kindo, K., Recent progress in the high field facility at Osaka 216 (1996) 171
Kinoshita, N., see J.S. Brooks 216 (1996) 380
Kiss, L.B., see I. Nagy 216 (1996) 79
Kita, K., see H. Ohta 216 (1996) 341
Kiyoshi, T., M. Kosuge, K. Inoue and H. Maeda, 21 T superconducting magnet system at TML 216 (1996) 196
Kiyoshi, T., see K. Inoue 216 (1996) 181
Kiyoshi, T., see H. Maeda 216 (1996) 141
Kiyoshi, T., see F. Matsumoto 216 (1996) 412
Kiyoshi, T., see S. Murase 216 (1996) 233
Knox, R.B., see F.J. Brown 216 (1996) 203
Kobayashi, M., see H. Hori 216 (1996) 347
Kobayashi, N., see K. Kadowaki 216 (1996) 269
Kobayashi, T.C., A. Koda and K. Amaya, High field heat capacities of some singlet ground state systems at very low temperatures 216 (1996) 304
Koda, A., see T.C. Kobayashi 216 (1996) 304
Kodaka, H., see T. Kuroda 216 (1996) 230
Kojima, H., see T. Fukase 216 (1996) 274
Kojima, N., I. Mogi and G. Kido, High-field magneto-optics of MnF_2 and $YbCrO_3$ 216 (1996) 336
Kojo, T., see K. Inoue 216 (1996) 181
Kolokol'chikov, N.P., see A.I. Bykov 216 (1996) 215
Kolokol'chikov, N.P., see O.M. Tatsenko 216 (1996) 175
Kondo, R., see T. Fukami 216 (1996) 277
Kosuge, M., see K. Inoue 216 (1996) 181
Kosuge, M., see T. Kiyoshi 216 (1996) 196
Koyanagi, K., see M. Urata 216 (1996) 209
Kramer, B., see T. Brandes 216 (1996) 369
Krynetskii, I.B., see V.V. Chabanenko 216 (1996) 289
Kubo, S., see T. Fukami 216 (1996) 277
Kubo, T., see M. Chiba 216 (1996) 344
Kudasov, Yu.B., see O.M. Tatsenko 216 (1996) 175
Kuriyama, T., see M. Urata 216 (1996) 209
Kuroda, T., K. Katagiri, H. Kodaka, M. Yuyama, H. Wada and K. Inoue, Superconducting properties of neutron irradiated Nb_3Al multifilamentary wires fabricated by the Nb-tube process 216 (1996) 230
Kusevic, I., see S.X. Dou 216 (1996) 255

Lagutin, A., see F. Herlach 216 (1996) 161
Lee, J.A., see M. Van Cleemput 216 (1996) 226
Li, L., see F. Herlach 216 (1996) 161
Lischka, K., see M. von Ortenberg 216 (1996) 384
Little, J.W., see A.C. Goldberg 216 (1996) 372
Liu, H.K., see S.X. Dou 216 (1996) 255
Liu, X.N., see B.J. Gao 216 (1996) 166
Liu, Z.M., see B.J. Gao 216 (1996) 166
Luther, S., see M. von Ortenberg 216 (1996) 384

Machado da Silva, J.M., see H. Ohta 216 (1996) 341
Machel, G., see M. von Ortenberg 216 (1996) 158
Machel, G., see M. von Ortenberg 216 (1996) 384
Maciá, E. and F. Domínguez-Adame, Three-dimensional effects on the electronic structure of quasiperiodic systems 216 (1996) 53
Madi, N.K., see A.E. Hamed 216 (1996) 116
Maeda, H., see K. Inoue 216 (1996) 181
Maeda, H., see T. Kiyoshi 216 (1996) 196
Maeda, H., see S. Murase 216 (1996) 233
Maeda, H., see M. Urata 216 (1996) 209
Maeda, H., K. Inoue, T. Kiyoshi, T. Asano, Y. Sakai, T. Takeuchi, K. Itoh, H. Aoki and G. Kido, Present status and future plan of the Tsukuba Magnet Laboratories 216 (1996) 141
Maezawa, K., see N. Kimura 216 (1996) 313
Markiewicz, W.D., L.A. Bonney, I.R. Dixon, Y.M. Eyssa, C.A. Swenson and H.J. Schneider-Muntau, Technology of 1 GHz NMR superconducting magnets 216 (1996) 200
Matsui, H., see J. Singleton 216 (1996) 333
Matsumoto, F., H. Nagai, T. Kiyoshi, A. Sato, I. Kawamura and K. Matsumoto, Refrigeration system for superfluid-cooled 21 T magnet and 40 T hybrid magnets at TML 216 (1996) 412
Matsumoto, K., see F. Matsumoto 216 (1996) 412
Matsutani, K., see K. Inoue 216 (1996) 181
McKenzie, R.H., see J.S. Brooks 216 (1996) 380
McKenzie, R.H., see R.G. Clark 216 (1996) 388
Menovsky, A.A., see J. Singleton 216 (1996) 333
Meyerson, B.S., see R.G. Clark 216 (1996) 388
Mitchell, E.E., see R.G. Clark 216 (1996) 388
Mitov, M. and P. Sixou, Spirals in cholesteric liquid crystals: A possible nucleation initiator 216 (1996) 132
Miura, N., see T. Takamasu 216 (1996) 362
Miura, N., see M. von Ortenberg 216 (1996) 384
Miura, N. and H. Nojiri, Recent advances in megagauss physics 216 (1996) 153
Miura, S., see I. Yamamoto 216 (1996) 399
Mochiku, T., see K. Kadowaki 216 (1996) 269
Mogi, I., see J.R. Anderson 216 (1996) 307
Mogi, I., see N. Kojima 216 (1996) 336
Mogi, I., Electrochemical studies in steady high magnetic fields 216 (1996) 396
Motokawa, M., see H. Ohta 216 (1996) 341
Mueller, H.-U., see M. von Ortenberg 216 (1996) 158
Mueller, H.-U., see M. von Ortenberg 216 (1996) 384
Murase, S., see K. Inoue 216 (1996) 181
Murase, S., see M. Urata 216 (1996) 209

Murase, S., S. Nakayama, Y. Wachi, T. Fujioka, S. Hanai, N. Aoki, M. Ichihara, M. Hakamata, K. Noguchi, N. Shiga, K. Inoue, T. Takeuchi, K. Itoh, T. Kiyoshi and H. Maeda, Development of (Nb, Ti)$_3$Sn and Nb–Ti conductors for 15 T superconducting magnet of 40 T class hybrid magnet 216 (1996) 233

Nagai, H., see F. Matsumoto 216 (1996) 412
Nagasaka, K., see K. Takehana 216 (1996) 354
Nagy, I., Z. Gingl, L.B. Kiss and J. Vinkó, A method for testing first-order Markovian property of noise phenomena including $1/f$ noise 216 (1996) 79
Nakagawa, H., see T. Takamasu 216 (1996) 362
Nakagome, H., see M. Urata 216 (1996) 209
Nakajima, T., see Z. Zhao 216 (1996) 96
Nakamoto, G., see J. Singleton 216 (1996) 333
Nakayama, S., see S. Murase 216 (1996) 233
Nakayama, S., see M. Urata 216 (1996) 209
Natsume, Y., see H. Goto 216 (1996) 281
Natsume, Y., see Y. Watabe 216 (1996) 338
Negishi, R., see Z. Zhao 216 (1996) 96
Newbury, R., see J.S. Brooks 216 (1996) 380
Newbury, R., see R.G. Clark 216 (1996) 388
Nishizaki, T., see T. Fukami 216 (1996) 277
Nishizaki, T., see K. Kadowaki 216 (1996) 269
Noguchi, K., see S. Murase 216 (1996) 233
Noguchi, S and A. Ishiyama, An optimal design method for high field superconducting magnets 216 (1996) 212
Nojiri, H., see N. Miura 216 (1996) 153
Nojiri, H., see M. von Ortenberg 216 (1996) 384
Nomura, S., see M. Urata 216 (1996) 209

Ochiai, Y., K. Yamamoto, K. Ishibashi, J.P. Bird, Y. Aoyagi, T. Sugano and D.K. Ferry, Carrier scattering processes in quantum wires at high magnetic fields by a correlation field analysis 216 (1996) 376
Ogawa, R., see K. Shibutani 216 (1996) 244
Ohkura, K., see K.-i. Sato 216 (1996) 258
Ohta, H., M. Sumikawa, K. Kita, M. Motokawa, T. Seixas and J.M. Machado da Silva, Submillimeter wave ESR and magnetization measurements of $Ce_xGd_{1-x}Co_2$ 216 (1996) 341
Oka, Y., see J.R. Anderson 216 (1996) 307
Okada, M., K. Tanaka, K. Fukushima, J. Sato and K. Higashiyama, Transport properties of Bi-2212/Ag multifilamentary composite tape in high magnetic fields 216 (1996) 248
Omelyanchouk, A.N., see R. de Bruyn Ouboter 216 (1996) 37
Ōnuki, Y., see N. Kimura 216 (1996) 313
Ōnuki, Y., see R. Settai 216 (1996) 310
Ōnuki, Y., see K. Sugiyama 216 (1996) 316
Ōnuki, Y., R. Settai and H. Aoki, Metamagnetic transition in f-electron systems studied by de Haas–van Alphen experiments 216 (1996) 323
Oomi, G., see Y. Uwatoko 216 (1996) 329
Oomi, G., Y. Sakurai, T. Sakai, T. Kagayama, Y. Homma, K. Sumiyama and K. Suzuki, Effecet of pressure on the magnetic properties of Kondo materials 216 (1996) 319
Oshikiri, M., see K. Takehana 216 (1996) 354
Oshikiri, M., K. Takehana, T. Asano and G. Kido, Far-infrared cyclotron resonance of wide-gap semiconductors using pulsed high magnetic fields 216 (1996) 351

Parkin, D.M., see J.E. Crow 216 (1996) 146
Patra, S.N. and D.P. Bhattacharya, Harmonic generation of microwaves in semiconductors in a magnetic field 216 (1996) 121
Pavlovskii, A.I., see A.I. Bykov 216 (1996) 215
Pavlovskii, A.I., see O.M. Tatsenko 216 (1996) 175
Peng, J., see L.A. Bursill 216 (1996) 1
Piechota, S., see V.V. Chabanenko 216 (1996) 285
Piechota, S., see V.V. Chabanenko 216 (1996) 289
Platonov, V.V., see O.M. Tatsenko 216 (1996) 175
Polański, K., see W. Szmaja 216 (1996) 71
Portugall, O., see M. von Ortenberg 216 (1996) 158
Portugall, O., see M. von Ortenberg 216 (1996) 384
Puhlmann, N., see M. von Ortenberg 216 (1996) 158
Puhlmann, N., see M. von Ortenberg 216 (1996) 384

Qian, H., see L.A. Bursill 216 (1996) 1

Rickel, D.G., see L.J. Campbell 216 (1996) 218
Ryan, D., see C.R.J. Hole 216 (1996) 291

Sakai, T., see G. Oomi 216 (1996) 319
Sakai, Y., see H. Maeda 216 (1996) 141
Sakurai, Y., see G. Oomi 216 (1996) 319
Sandhu, P., see J.S. Brooks 216 (1996) 380
Sanyal, S.P., see P.K. Jha 216 (1996) 125
Sasaki, T., see T. Fukase 216 (1996) 274
Sasaki, T., T. Fukase and N. Toyota, Reconsideration of the magnetic phase diagram in the organic conductor α-(BEDT–TTF)$_2$KHg(SCN)$_4$ 216 (1996) 366
Sato, A., see F. Matsumoto 216 (1996) 412
Sato, H., see K. Sugiyama 216 (1996) 316
Sato, J., see M. Okada 216 (1996) 248
Sato, K.-i., K. Ohkura, K. Hayashi, M. Ueyama, J. Fujikami and T. Kato, High field generation using silver-sheathed BSCCO conductor 216 (1996) 258
Sato, M., see K. Takehana 216 (1996) 354
Satoh, E., see M. Chiba 216 (1996) 344
Schegolev, A.I., see J.S. Brooks 216 (1996) 380

Schikora, D., see M. von Ortenberg 216 (1996) 384
Schillig, J.B., see L.J. Campbell 216 (1996) 218
Schneider-Muntau, H.-J., see M.D. Bird 216 (1996) 193
Schneider-Muntau, H.J., see L.J. Campbell 216 (1996) 218
Schneider-Muntau, H.J., see J.E. Crow 216 (1996) 146
Schneider-Muntau, H.J., see W.D. Markiewicz 216 (1996) 200
Schneider-Muntau, H-J., see M. Van Cleemput 216 (1996) 226
Schwartz, J., K.M. Amm, Y.R. Sun and Ch. Wolters, HgBaCaCuO superconductors: Processing, properties and potential 216 (1996) 261
Schweitzer, L., see T. Brandes 216 (1996) 369
Seixas, T., see H. Ohta 216 (1996) 341
Settai, R., see N. Kimura 216 (1996) 313
Settai, R., see Y. Ōnuki 216 (1996) 323
Settai, R., see K. Sugiyama 216 (1996) 316
Settai, R., M. Abliz, P. Ahmet, H. Azuma, D. Aoki, Y. Yoshida, K. Sugiyama and Y. Ōnuki, Metamagnetic transition in $PrCu_2$ studied by the de Haas–van Alphen effect 216 (1996) 326
Settai, R., H. Aoki, M. Takashita, T. Terashima, Y. Haga, T. Suzuki, Y. Ōnuki and T. Goto, De Haas–van Alphen effect of CeSb in the low field phase 216 (1996) 310
Shibutani, K., T. Hase, S. Hayashi, M. Shimada and R. Ogawa, Fabrication of Bi-2212–Ag composite solenoid type superconducting magnet by partial melt process under high P_{O_2} 216 (1996) 244
Shiga, N., see S. Murase 216 (1996) 233
Shimada, M., see K. Shibutani 216 (1996) 244
Shimamoto, Y., see M. von Ortenberg 216 (1996) 384
Shoda, M., Effect of high magnetic field on microbial activities measured under a newly constructed superconducting magnet biosystem 216 (1996) 409
Sims, J.R., see L.J. Campbell 216 (1996) 218
Singleton, J., S.O. Hill, A. Ardavan, H. Matsui, S.J. Blundell, W. Hayes, P. Goy, E. Bucher, H. Hohl, G. Nakamoto, A.A. Menovsky and T. Takabatake, Magneto-optical studies of magnetic defects in CeNiSn 216 (1996) 333
Sixou, P., see M. Mitov 216 (1996) 132
Skougarevsky, A.V., see J.S. Brooks 216 (1996) 380
Skougarevsky, A.V., see R.G. Clark 216 (1996) 388
Stadnik, V.A., see R.G. Clark 216 (1996) 388
Starrett, R.P., see J.S. Brooks 216 (1996) 380
Starrett, R.P., see R.G. Clark 216 (1996) 388
Sugano, T., see Y. Ochiai 216 (1996) 376
Sugawara, H., see K. Sugiyama 216 (1996) 316
Sugie, M., see N.I. Wakayama 216 (1996) 403
Sugiyama, K., see R. Settai 216 (1996) 326
Sugiyama, K., R. Settai, H. Azuma, H. Sugawara, Y. Aoki, H. Sato, K. Kindo and Y. Ōnuki, High-field magnetization and phase diagram of $NdCu_2$ single crystal 216 (1996) 316
Sullivan, N.S., see J.E. Crow 216 (1996) 146
Sumiyama, K., see G. Oomi 216 (1996) 319
Sumikawa, M., see H. Ohta 216 (1996) 341
Sun, S.-J., T.-M. Hong and M.F. Yang, Phase diagram of the two-dimensional periodic Anderson model at half-filling 216 (1996) 111
Sun, Y.R., see J. Schwartz 216 (1996) 261
Suzuki, K., see G. Oomi 216 (1996) 319
Suzuki, M., see H. Asakawa 216 (1996) 63
Suzuki, M., see T. Fukami 216 (1996) 277
Suzuki, T., see A. Fujita 216 (1996) 297
Suzuki, T., see T. Fukase 216 (1996) 274
Suzuki, T., see R. Settai 216 (1996) 310
Swenson, C.A., see W.D. Markiewicz 216 (1996) 200
Szmaja, W., K. Polański and K. Dolecki, SEM temperature study of magnetic domain structure in cobalt monocrystals 216 (1996) 71
Szymczak, H., see V.V. Chabanenko 216 (1996) 285
Szymczak, H., see V.V. Chabanenko 216 (1996) 289

Tachikawa, K., Some progress in metallic superconductors in Japan 216 (1996) 236
Takabatake, T., see J. Singleton 216 (1996) 333
Takamasu, T., H. Nakagawa and N. Miura, Transport measurements in short pulsed fields up to 100 T 216 (1996) 362
Takasaki, S., see J.S. Brooks 216 (1996) 380
Takashita, M., see R. Settai 216 (1996) 310
Takazawa, A., see K. Takehana 216 (1996) 354
Takehana, K., see M. Oshikiri 216 (1996) 351
Takehana, K., M. Oshikiri, G. Kido, A. Takazawa, M. Sato, K. Nagasaka, M. Hase and K. Uchinokura, Far-infrared spectroscopy in high magnetic fields 216 (1996) 354
Takeuchi, T., see K. Inoue 216 (1996) 181
Takeuchi, T., see H. Maeda 216 (1996) 141
Takeuchi, T., see S. Murase 216 (1996) 233
Takeya, H., see K. Kadowaki 216 (1996) 269
Tanaka, I., see T. Fukase 216 (1996) 274
Tanaka, K., see M. Okada 216 (1996) 248
Tanaka, Y., see J.S. Brooks 216 (1996) 380
Tatsenko, O.M., see A.I. Bykov 216 (1996) 215
Tatsenko, O.M., A.I. Pavlovskii, V.V. Druzhinin, A.I. Bykov, M.I. Dolotenko, N.P. Kolokol'chikov, V.V. Platonov and Yu.B. Kudasov, Investigation of magnetic properties of solids in ultrahigh pulsed magnetic fields 216 (1996) 175
Terashima, S., see A. Fujita 216 (1996) 297

Terashima, T., see R. Settai 216 (1996) 310
Tezuka, M., see K. Inoue 216 (1996) 181
Thiede, M., see M. von Ortenberg 216 (1996) 158
Thiede, M., see M. von Ortenberg 216 (1996) 384
Timms, K.W., see F.J. Brown 216 (1996) 203
Tokumoto, M., see J.S. Brooks 216 (1996) 380
Toyota, N., see T. Sasaki 216 (1996) 366
Trappeniers, L., see F. Herlach 216 (1996) 161

Uchinokura, K., see K. Takehana 216 (1996) 354
Ueyama, M., see K.-i. Sato 216 (1996) 258
Urata, M., K. Koyanagi, T. Kuriyama, K. Yamamoto, S. Nakayama, T. Yazawa, S. Nomura, Y. Yamada, H. Nakagome, S. Murase, H. Maeda and O. Horigami, A 10 T cryo-cooled superconducting magnet with 100 mm room temperature bore 216 (1996) 209
Uwatoko, Y., G. Oomi, P.C. Canfield and B.K. Cho, Effect of pressure on the superconductivity of $HoNi_2B_2C$ 216 (1996) 329

Van Beelen, H., see R.W.A. van de Laar 216 (1996) 24
Van Bockstal, L., see F. Herlach 216 (1996) 161
Van Cleemput, M., H. Jones, M. van der Burgt, J-R. Barrau, J.A. Lee, Y. Eyssa and H-J. Schneider-Muntau, Copper/stainless steel conductor for high field pulsed magnets 216 (1996) 226
Van de Laar, R.W.A., A. van der Hoek and H. van Beelen, Two-dimensional behaviour of very thin ^4He films on glass 216 (1996) 24
Van der Burgt, M., see M. Van Cleemput 216 (1996) 226
Van der Hoek, A., see R.W.A. van de Laar 216 (1996) 24
Van Esch, A., see F. Herlach 216 (1996) 161
Vanacken, J., see F. Herlach 216 (1996) 161
Vinkó, J., see I. Nagy 216 (1996) 79
Von Ortenberg, M., O. Portugall, N. Puhlmann, H.-U. Mueller, M. Barczewski, G. Machel and M. Thiede, The Megagauss facility of the HUMBOLDT high magnetic field center in Berlin 216 (1996) 158
Von Ortenberg, M., O. Portugall, N. Puhlmann, H.-U. Mueller, S. Luther, M. Barczewski, G. Machel, M. Thiede, Y. Imanaka, Y. Shimamoto, H. Nojiri, N. Miura, D. Schikora, T. Widmer and K. Lischka, Investigation of HgSe/HgSe:Fe quantum wells and superlattices 216 (1996) 384

Wachi, Y., see S. Murase 216 (1996) 233
Wada, H., see T. Kuroda 216 (1996) 230
Wakayama, N.I. and M. Sugie, Magnetic promotion of combustion in diffusion flames 216 (1996) 403
Wang, F.T., see B.J. Gao 216 (1996) 166
Wang, S., see B.J. Gao 216 (1996) 166
Wang, W.G., see S.X. Dou 216 (1996) 255
Watabe, Y. and Y. Natsume, Calculation of spin reduction for magnons in hexagonal compounds in magnetic field by the numerical construction of Bogoliubov transformation 216 (1996) 338
Widmer, T., see M. von Ortenberg 216 (1996) 384
Wolters, Ch., see J. Schwartz 216 (1996) 261
Wu, L., see G. Yi 216 (1996) 103

Xu, Z., see Z. Zhao 216 (1996) 96

Yamada, J., see J.S. Brooks 216 (1996) 380
Yamada, Y., see M. Urata 216 (1996) 209
Yamaguchi, M., see I. Yamamoto 216 (1996) 399
Yamamoto, I., M. Yamaguchi, M. Fujino, F. Ishikawa, T. Goto and S. Miura, Magnetic field effects on the chemical equilibrium between metals and hydrogen 216 (1996) 399
Yamamoto, K., see Y. Ochiai 216 (1996) 376
Yamamoto, K., see M. Urata 216 (1996) 209
Yamasaki, Y., see T. Fukami 216 (1996) 277
Yang, M., see R.G. Jenkins 216 (1996) 240
Yang, M.F., see S.-J. Sun 216 (1996) 111
Yang, Q., see G. Yi 216 (1996) 103
Yazawa, T., see M. Urata 216 (1996) 209
Yi, G., B. Zhang, L. Wu and Q. Yang, Crystallization during isothermal annealing of Fe–Ni–P–B nanosize amorphous powders prepared by chemical reduction 216 (1996) 103
Yi, K.-W., see K. Kakimoto 216 (1996) 406
Yoshida, Y., see R. Settai 216 (1996) 326
Yoshizawa, M., see Z. Zhao 216 (1996) 96
Yuan, S.L., see B.J. Gao 216 (1996) 166
Yuan, W.F., see B.J. Gao 216 (1996) 166
Yuyama, M., see T. Kuroda 216 (1996) 230

Zhang, B., see G. Yi 216 (1996) 103
Zhang, W., see E.E. Hellstrom 216 (1996) 252
Zhao, Z., J. Han, S. Zhou, Z. Xu, T. Fukamachi, R. Negishi, M. Yoshizawa and T. Nakajima, Application of X-ray diffraction dynamics to strong anomalous scattering region of an atom 216 (1996) 96
Zhou, S., see Z. Zhao 216 (1996) 96

Subject Index

1-D quantum spin effect 344
2-D electron systems 388, 393
2-D hole systems 388
II–VI compounds 384
$3CuCl_2 \cdot 2$dioxane 294

α-(BEDT TTF)$_2$KHg(SCN)$_4$ 366
AC superconductors 236
Ag-sheathed conductors 252
Aharonov–Bohm effect 358
Anderson model 111
Anisotropic flux pinning 274
Annealing, isothermal 103
Anomalous scattering 96
Atomic absorption edge 96

(BEDT–TTF)$_2$MHg(SCN)$_4$ 380
Bean model 291
Benard instability 406
Bi-2212 244, 248, 252, 258, 269
Binding energies 85
Biosystems 409
Bound states 336
Breakdown 393
Bubbling 252

Carbon nanotubes 358
$Ce_xGd_{1-x}Co_2$ 341
CeNiSn 333
$CeRu_2Si_2$ 323
CeSb 310
Chalcogenides 307
Chemical equilibrium 399
Combustion 409
Competition 301
Composite materials 347
Computer simulations 153
Conductance fluctuations 376
Continuum resonances 85
Copper stainless steel 226
Correlation fields 376
Critical current 230, 244, 255, 266
Critical temperature 230
Crystal growth 406
$CuCl_2(\gamma$-picoline$)_2$ 344
$CuGeO_3$ 354
Current redistribution 291
Cyclotron resonance 153, 351

Davydov splitting 336
De Haas–van Alphen effect 310, 313, 323, 326
Diamagnetic orientation 396
Diamagnetism 171, 175
Dielectric relaxors 1
Digital image processing 71
Disorder controlled hopping 43

Effective mass 351
Effective-field theory 63
Electrical properties 132
Electrochemical reaction 396
Electromagnetic flux compression 153
Electronic structure 53
Eliashberg equation 281
ESR 341, 354
EuTe 347
Excitons 336

Far-infrared 161, 351, 354
Faraday effect 175
Faraday rotation 153
Fe–Ni–P–B 103
Fermi surface 310, 323, 326
Ferroelastic materials 116
Ferromagnetism 175
Film-flow resistance 24
Flux creep model 277
Flux instability 285
Flux jump 289
Flux line lattice elasticity 274
Flux pinning 255, 289

GaAs/AlGaAs 372
GM refrigerators 212
Goldstone mode 338
Granularity 266
Graphite 362

Haldane gap 304
Harmonic generation 121
Heat capacity 304
Heavy fermions 319, 333
Helium-4 films 24
HgBaCaCuO 261
High field magnets 166, 193, 196, 248, 412
High magnetic fields 141, 196, 226, 236, 258, 285, 347, 354, 393, 396
High pressure 319, 329
High-T_c superconductor coils 175, 240
High-T_c superconductors 186, 212, 258, 261, 274
Hole transport 43
$HoNi_2B_2C$ 329
Hot electrons 121
Hubbard model 63
Hybrid magnets 141, 166, 181, 186, 233, 354
Hydrogen composition 399

Inelastic scattering 369
Infrared photodetectors 372
Inner coil in an external coil 221
Interfaces 132
Irradiation 261
Irreversibility line 266
Ising model 1

Josephson junctions 37, 277

$\boldsymbol{k \cdot p}$ method 358
Kondo insulators 333
Kondo lattices 111

$La_{2-x}Sr_xCu_4$ 274
Lattice vibrations 125
Laves phase 341
$(Li_{(1-x)/2}K_{(1-x)/2}Cs_x)_2SO_4$ 116
Liquid crystals 132
Localization 393
Low-dimensional systems 294, 380

Magnet design 218
Magnet facilities 141, 146, 153, 158, 161, 166, 171, 175
Magnetic anisotropy 166, 301
Magnetic defects 333
Magnetic domain structures 71
Magnetic energy and inductance 221
Magnetic field effect 399
Magnetic field gradient 409
Magnetic films 347
Magnetic flux compression 215
Magnetic phase diagram 316, 366
Magnetic resonance 146, 341, 344, 354
Magnetism 71
Magnetization 161, 171, 294, 301, 307
Magnetoaerodynamics 409
Magnetocrystalline anisotropy 71
Magnetohydrodynamics 406
Magnetoresistance 319, 329, 347, 362
Magnetospectroscopy 333, 354, 384
Magnetostriction 289, 319
Magnetotransport 161, 388
Magnons 336
Markovian processes 79
Megagauss magnetic fields 153, 158, 215, 221, 362
Metal hydrides 399
Metamagnetic transitions 316, 323, 326
MHD effect 396
Microbial growth 409
Microwaves 121
Millimeter wave optics 333
Miniband transport 372
Mixed states 277
Multifilamentary wires 248
Multifractality 369

n-GaP 351
n-ZnO 351
Nanosize amorphous powders 103
$(Nb, Ti)_3Sn$ 233
Nb Ti 209, 236
Nb-tube processed Nb_3Al wires 230
Nb_3Al 236
Nb_3Sn 236
$Nd_{2-x}Ce_xCuO_{4-\delta}$ 277
$NdCu_2$ 316
$NdIn_3$ 323
NENP 344
Neutron irradiation 236
NMR 344
NMR magnets 203
Noise, $1/f$ 79
Non-trivial continuous degeneracy 338

Optimal design 412
Organic conductors 366, 380
Oxygen gas 409

Pair exchange interaction 307
Partial melt processes 244
PbMgNbO compounds 1
Phase diagrams 63, 111
Phase transitions 1, 116
Phonons 125
Phosphates 85
Photoconductivity 388
Point contacts 37
Polymers 43
$PrCu_2$ 323, 326
Pre-edge resonances 85
Processing 261
Pulsed magnetic fields 158, 291, 380, 388
Pulsed magnets 141, 161, 171, 218, 226

Quantization 384
Quantum fluctuation 338
Quantum Hall effect 369, 393
Quantum wells 372, 384
Quantum wires 376
Quasi-one-dimensional systems 53
Quasiperiodic systems 53

Refrigeration 412
Reliability 209
Resistive transitions 166
Resistivity 269

Sandwich rolling 255
Saturation approach law 297
Saturation moment 297
Scaling 369
Semiconductors 121
SiGe 388
Silver-sheathed tape 248
Simulated annealing 412
SnEuTe 307
Spin density wave 366
Spin glasses 297, 301
Spin reduction 338
Spin-Peierls transition 304
Strip-line 341
Strong magnetic fields 141, 196, 226, 236, 258, 285, 347, 354, 393, 396
Superconducting magnets 141, 146, 181, 186, 196, 203, 209, 212, 409, 412
Superconductivity 37, 281, 329
Superconductors 240, 266, 291
Superfluidity 24, 412
Surfaces 132
Susceptibility 297

t–J model 63
TEM 1
$(TMTSF)_2ClO_4$ 380
Thermal characterisation 226
Thermal processing 252
Thermodynamics 116
Thin films 24, 347
Transverse compressive stress 233
Triangular antiferromagnets 338
Triarylamine doping 43
Tube processes 233
Two-dimensional behaviour 24

Ultrahigh magnetic fields 175, 215
UPt_3 313
Uranium chalcogenides 125

Vertex corrections 281
Vortex states 269

Water-cooled magnets 171, 181, 193

X-ray diffraction dynamics 96
XANES 85

YBaCuO 285